

FORM B.

Return showing the description and weight of all yarn spun in the Cotton Mills in the Mysore State during the month ending March 1939.

Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count
1 ^s	...	13 ^½ ^s	4,245	26 ^s	29,678
2 ^s	592	14 ^s	25,720	27 ^s	361
3 ^s	..	14 ^½ ^s	57,163	28 ^s	11,649
4 ^s	3,701	15 ^s	9,956	30 ^s	98,999
6 ^s	1,851	16 ^s	39,742	32 ^s	35,681
6 ^½ ^s	21,257	16 ^½ ^s	2,349	35 ^s	...
7 ^s	...	17 ^s	...	36 ^s	96,442
8 ^s	19,618	18 ^s	1,211	38 ^s	4,506
8 ^½ ^s	130,714	18 ^½ ^s	...	40 ^s	49,866
9 ^s	...	19 ^s	40,916	42 ^s	44,303
10 ^s	...	20 ^s	301,596	44 ^s	21,254
10 ^½ ^s	226,474	20 ^½ ^s	42,773	46 ^s	213
11 ^s	46,871	21 ^s	104,343	50 ^s	2,523
11 ^½ ^s	...	21 ^½ ^s	...	60 ^s	187
12 ^s	17,797	22 ^s	13,178		
12 ^½ ^s	103,192	22 ^½ ^s	8,434		
13 ^s	10,794	24 ^s	45,857	Total	1,676,006

BANGALORE,
Dated 20th April 1939.

V. VENKATACHAR,
For Director.

MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE
FOR THE WEEK ENDED THURSDAY, APRIL 20, 1939.

One attack with nil death from Plague was returned during the week against 7 attacks with 7 deaths in the previous week. Cities of Bangalore and Mysore and Kolar Gold Field Area continued to remain free from the disease. Comparative figures for the corresponding weeks in 1938 and 1937 were 3 attacks with 4 deaths and 11 attacks with 5 deaths, respectively.

A total of 8 attacks with 1 death from Small-pox was reported from one village in Holalkere Taluk and from Alur Town and Kolar Gold Field Area.

The State remained free from Cholera, Influenza and Relapsing Fever.

The total mortality for Bangalore City amounted to 116 (37 in hospitals), representing a calculated death-rate of 27.7 (18.9 excluding hospital deaths) per mille of population as against 19.6 for the corresponding week of last year. Classified according to causes, the deaths numbered 1 under Typhoid, 7 under Phthisis, 13 under Dysentery and Diarrhoea and 95 under all other causes. The reported mortality was normal.

During the week, the Civil and Military Station, Bangalore, returned 73 deaths (18 in hospitals), representing a calculated death-rate of 25.9 (19.5 excluding hospital deaths) per mille of population as against 23.2 for the corresponding week of last year. Classified according to causes, the deaths were—Broncho-Pneumonia 4, Pneumonia 7, Typhoid 2, Phthisis 3, Dysentery and Diarrhoea 8, and all other causes 49. The reported mortality was normal.

The total mortality for Mysore City was 61 (13 in hospitals), representing a calculated death-rate of 25.1 (19.7 excluding hospital deaths) per mille of population as against 27.6 for the corresponding week of last year. Classified according to causes, the deaths were—Typhoid 2, Other Fevers 3, Phthisis 3, Dysentery and Diarrhoea 3, and under all other causes 50. The reported mortality was normal.

There were 34 deaths (8 in hospitals) from all causes in Kolar Gold Field Area equivalent to a calculated death rate of 21.3 (16.3 excluding hospital deaths) per mille of population as against 25.5 for the corresponding week of last year. Classified according to causes, the deaths numbered 4 under other Fevers, 1 under Phthisis, 6 under Dysentery and Diarrhoea and 23 under all other causes. The reported mortality was low.

E. R. SUNDARAJAN,
For Director.